

ATCC
**American Type Culture Collection
CATALOGUE OF FUNGI/YEASTS
Seventeenth Edition, 1987**

With an Index to Industrial Applications

Editors:

S.C. Jong, Ph.D.
M.J. Gantt, M.L.S.

Editorial Staff:

H.D. Hatt, Head, Publications Department
M.J. Gantt, Assistant Managing Editor
N.J. Piper, Senior Editorial Assistant
C.J. Scamordella, Editorial Assistant



INCLUDES DATA ON

Source	Pathogenicity
Nomenclature	Toxicology
Taxonomy	Biological Controls
Biotechnology	Sensitivities
Genetic Engineering	Materials Testing
Genetic Information	Availability
Bioprocesses & Products	Literature Citations
Industrial Applications	Culture Conditions
Assays	Permit Requirements

BEST AVAILABLE COPY

BEST AVAILABLE COPY



Copyright © 1987
American Type Culture Collection
12301 Parklawn Drive
Rockville, Maryland 20852-1776

ISBN: 0-930009-18-5

Photocopies may be made for personal or internal use without charge. More extensive copying is permitted provided a fee of \$1.00 per page is paid to the Copyright Clearance Center, 21 Congress St., Salem, MA 01970, citing ISBN 0-930009-18-5 and the page numbers copied. This consent does not extend to copying for general distribution, promotion, creating new works, or resale.

- Candida pintolopesii* var. *slooffiae* (van Uden et Do Carmo-Sousa) van Uden et Phaff ex Meyer et al.)
 S.A. Meyer M 312 (*Candida slooffii*) — CBS 2419 — N. van Uden. Horse caecum. Type culture of *C. slooffii* (Portug. Acta Biol. 5: 7, 1957). (Medium 200 37C)
- Candida pinus* (Lodder et Kreger-van Rij) Meyer et Yarrow
 S.A. Meyer M 221 (*Torulopsis pinus*) — CBS 970. (NRRL Y-2023) Pine tree, Sweden. Type culture (Lodder, J. and N.J.W. Kreger-van Rij, "The Yeasts-A Taxonomic Study," 1952, p. 671. North Holland Pub. Co., Amsterdam). (Medium 200 24C)
- Candida podzolica* Babjeva et Reshetova
 VKM Y-1982 — I.P. Babjeva 6. (CBS 6819) Podzolic soil, USSR. Type culture (Mikrobiologia 44: 333-338, 1975). (Medium 200 24C)
- Candida polymorpha* Ohara et Nonomura ex Meyer et Ahearn: See *Candida diddensii*
 CBS 4094 — H. Nonomura. (IFO 0836; UCD 69-29) Soy mash. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., pp. 774-776, 1984). (Medium 200 25C)
- Candida pseudointermedia* Nakase et al.
 CBS 6918 — T. Nakase. Kamaboko, Japan. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., pp. 776-777, 1984). (Medium 200 25C)
- Candida pseudotropicalis* (Castellani) Basgal: See *Candida kefyri*
Candida psychophila (Goto et al.) Meyer et Yarrow
 S. Goto AY-7 (*Torulopsis psychrophila*). (CBS 5956) Penguin dung, Antarctica. Type culture (Mycologia 61: 748-774, 1969; The Yeasts, a Taxonomic Study, 3rd ed., pp. 777-778, 1984). (Medium 200 15C)
- Candida pulcherrima* (Lindner) Windisch: See *Metschnikowia pulcherrima*, perf. st.
- Candida pustula* (Buhagiar) Meyer et Yarrow
 R.W.M. Buhagiar (*Torulopsis pustula*). (CBS 6527) *Ribes nigrum*, England. Type culture (J. Gen. Microbiol. 86: 1-11, 1975). (Medium 200 24C)
- Candida quercuum* Nakase
 CBS 6422 — T. Nakase. (IFO 1576) *Quercus serrata* exudate. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., pp. 781-782, 1984). (Medium 200 24C)
- Candida railenensis* Ramirez et Gonzalez
 C. Ramirez IJFM 6014. (CBS 8164) Decayed *Nothofagus dombeyi*, Chile. Type culture (Mycopathologia 88: 55, 1984). (Medium 200 25C)
- Candida ralunensis* Ramirez et Gonzalez
 C. Ramirez IJFM 6042. (CBS 8179) Decayed, fallen *Laurelia sempervirens*, Chile. Type culture (Mycopathologia 88: 85, 1985). (Medium 200 25C)
- Candida ravautii* Langeron et Guerra
 CBS 1904 — Langeron. (IFO 0744; NRRL Y-311) Hyperkeratosis of foot, France. Type culture (Lodder, J. and N.J.W. Kreger-van Rij, "The Yeasts - A Taxonomic Study," 1952, p. 561. North Holland Pub. Co., Amsterdam). Production of citric acid (U.S. Pat. 3,733,253). (Medium 200 26C)
- W.J. Crozier 0846. Toe nails, Australas. Onychomycosis (Australas. J. Derm. 18: 139-140, 1977). (Medium 200 24C)
- Candida reukauffii* (Gruss) Diddens et Lodder: See *Metschnikowia reukauffii*, perf. st.
- Candida rhagii* (Diddens et Lodder) Jurzitza et al.
 S.A. Meyer M 234 — H.J. Phaff UCD 61-20. (CBS 4237) *Harpilum inquisitor* larvae. Type culture (Arch. Mikrobiol. 36: 229, 1960). (Medium 200 24C)
- Candida robusta* Diddens et Lodder: Synonym of *Saccharomyces revisiae*, q.v.
- Candida rugopelliculosa* Nakase
 T. Nakase AJ 4656. (CBS 6377) Soybean protein factory. Type culture (J. Gen. Appl. Microbiol. 17: 391, 1971). (Medium 200 24C)
- Candida rugosa* (Anderson) Diddens et Lodder
 NRRL Y-1496 — CBS 613. (CCY 29-15-1; IFO 0750) (Medium 200 24C)
 Meito Sangyo Co., Ltd. MS-5 (*Candida cylindracea*). (CBS 6330) Production of high-activity lipase (U.S. Pat. 3,189,529). (Medium 200 24C)
 Kyowa Ferm. Ind. Co., Ltd. KY 5742. Production of (synthesis) L-serine (U.S. Pat. 3,755,081). (Medium 200 24C)
- 20306 Takeda Chem. Ind., Ltd. (IFO 1542) Production of citric acid (U.S. Pat. 3,726,763). (Medium 200 24C)
- 38772 T. Nakase AJ 4898. Artificial diet for silkworm. Characterization (J. Gen. Appl. Microbiol. 24: 17-25, 1978). (Medium 200 25C)
- 58964 L. Walker 3814. Human blood and IV catheter tip, California. (Medium 200 25C)
- Candida sake* (Saito et Ota) van Uden et Buckley
 14478 NRRL Y-1622 (*Torulopsis sake*) — CBS 159 — K. Saito. (IFO 0650 and 0435) "Sakemoto" yeast. (Medium 200 24C)
- 22021 CBS 5690 (*Candida salmonicola*) — K. Komagata P-32. (IFO 1354) Frozen salmon stick. Type culture of *C. salmonicola* (J. Gen. Appl. Microbiol. 11: 255, 1965). (Medium 200 18C)
- 22162 S. Goto AY-12 (*Candida australis*). (CCY 29-108-1) Soil plus algae, Antarctica. Type culture of *C. australis* (Mycologia 61: 748-774, 1969). (Medium 200 24C)
- 28136 CBS 617 — H. Kufferath. (IFO 1213; FMJ 1281; NRRL Y-1499) Lambic beer. (Medium 200 24C)
- 28137 CBS 2219 — O. Verona. (IBL 2702; IFO 1021, 1148; IGC 2702; NRRL Y-2317) Olives. (Medium 200 24C)
- 28138 CBS 2920 — A. Capriotti. (IGC 3088) Soil. (Medium 200 24C)
- 28139 CBS 2935 — J.P. van der Walt. (IGC 2744) Soil. (Medium 200 24C)
- 28141 CBS 5740 — J. Grinbergs. Peach. (Medium 200 24C)
- 28721 J. Walker 26Y. (CBS 6716) Water, Chesapeake Bay. (Medium 200 24C)
- 28722 J. Walker 31Y. (CBS 6717) Sediment, Chesapeake Bay. (Medium 200 24C)
- 28723 S.A. Meyer W119. (CBS 6718) Water, Chesapeake Bay. (Medium 200 24C)
- 38233 K. Hatai T-7. *Plecoglossus altivelis*. Pathogenicity (Fish Pathol. 12: 63-67, 1977). (Medium 200 26C)
- Candida salmanticensis* (Santa Maria) van Uden et Buckley
 16042 J. Santa Maria Ac 574 (*Torulopsis salmanticensis*). (CBS 5121) Alpechin, Spain. Type culture (Antonie van Leeuwenhoek 29: 330, 1963). (Medium 200 24C)
- Candida santamariae* Montrocher
 16047 J. Santa Maria Az 1 (*Candida krusei* var. *saccharicola*). Sugar. (Medium 200 20C)
- 60128 CBS 4515 — J. Santa Maria. Sugar, Spain. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., pp. 790-792, 1984). (Medium 200 25C)
- Candida santjacobensis* Ramirez et Gonzalez
 58898 C. Ramirez IJFM 6046. (CBS 8183) Decayed, fallen *Nothofagus dombeyi*, Chile. Type culture (Mycopathologia 88: 105, 1984). (Medium 200 25C)
- Candida savonica* Sonck
 28530 CBS 6563 — C.E. Sonck. Woodpile. Type culture (Antonie van Leeuwenhoek 40: 543, 1974). (Medium 200 24C)
- Candida schatavii* (Kockova-Kratochvilova et Ondrusova) Meyer et Yarrow
 24409 A. Kockova-Kratochvilova CCY 26-26-5 (*Torulopsis schatavii*). (CBS 6452) *Fomitopsis pinicola*, Czechoslovakia. Type culture (Biologica 26: 483, 1971). (Medium 200 24C)
- Candida scottii* Diddens et Lodder: See *Leucosporidium scottii*, perf. st.
- Candida sequanensis* Saez et Rodrigues de Miranda
 58862 H. Saez A 4498 (4). (CBS 8118) Oat grains, France. Type culture (Antonie van Leeuwenhoek 50: 379, 1984). (Medium 200 26C)
- Candida shehatae* Buckley et van Uden: See also *Pichia stipitis*, perf. st.
 22984 S.A. Meyer M 175. (Medium 200 24C)
 34887 CBS 5813 — Buckley. (ATCC 42269) Dead insect invaded pine tree, California. Type culture (Mycopath. Mycol. Appl. 32: 297, 1967). Produces ethanol from D-xylose (Appl. Environ. Microbiol. 47: 1221-1223, 1984). (Medium 200 24C)
- 58779 CBS 4705 — H. Kuehlwein. (IGC 3590) Wood. Produces ethanol from xylose (Appl. Environ. Microbiol. 47: 1221-1223, 1984). (Medium 200 26C)
- 58780 CBS 5712 — MacDonald College. Rose-hip. Produces ethanol from xylose (Appl. Environ. Microbiol. 47: 1221-1223, 1984). (Medium 200 26C)
- 60778 NRRL Y-12878. (CBS 2779) Produces ethanol at high xylose concentrations (Biotech. Lett. 7: 431-436, 1985). (Medium 200 24C)

- Candida silvae* Vidal-Leiria et van Uden
22685 S.A. Meyer M 178 — J.F.T. Spencer. (CBS 5497; IGC 2640) Horse intestine. (Medium 200 24C)
- 42270 CBS 5498 — N. van Uden. (IGC 2639) Horse intestine. Type culture (The Yeasts, a Taxonomic Study, 3rd. ed., p. 796, 1984). (Medium 200 24C)
- Candida silvanorum* van der Walt et al.
22942 S.A. Meyer M 256 — J.P. van der Walt. (CBS 6274; NRRL Y-7782) Tunnels of *Xylion adustus* in *Peltophorum africanum*, S. Africa. Type culture (Antonie van Leeuwenhoek 37: 454, 1971). (Medium 200 25C)
- Candida silvicola* Shifrine et Phaff: See *Hansenula holstii*, perf. st.
- Candida silvicultrix* van der Walt et al.
22943 S.A. Meyer M 251 — J.P. van der Walt. (CBS 6269; CCY 29-111-1) Tunnels of *Sinoxylon ruficorne* in *Acacia karroo*, S. Africa. Type culture (Mycopath. Mycol. Appl. 47: 234, 1972). (Medium 200 24C)
- Candida solani* Lodder et Kreger-van Rij
14440 CBS 1908. (IFO 0762; NRRL Y-2224; 14 Bc 2) Potato flour mill. (Medium 200 26C)
- 20143 Kyowa Ferm. Ind. Co., Ltd. 5017-3C. Patent strain. (Medium 28 24C)
- Candida sonorensis* (Miller et al.) Meyer et Yarrow
32109 M. Miranda UCD 72-314 (*Torulopsis sonorensis*). (NRRL Y-7801) Saguaro cactus rot, Arizona. (Medium 200 24C)
- Candida sophiae-reginae* Ramirez et Gonzalez
58899 C. Ramirez IFM 6038. (CBS 8175) Decayed, fallen *Laurelia sempervirens*, Chile. Type culture (Mycopathologia 88: 185, 1984). (Medium 200 25C)
- Candida sorbophila* (Nakase) Meyer et Yarrow
60130 CBS 6739 — T. Nakase. (IFO 1583) Ion-exchange resin. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., pp. 804-805, 1984). (Medium 336 24C)
- Candida sorbosa* Hedrick et Burke: See *Issatchenkia occidentalis*, perf. st.
- Candida sorboxylosa* Nakase
24120 T. Nakase AJ 4437. (CBS 6378; IFO 1578) Pineapple. Type culture (J. Gen. Appl. Microbiol. 17: 392, 1971). (Medium 200 24C)
- Candida spandovensis* (Henninger et Windisch) Meyer et Yarrow
34356 W. Henninger DSM 70866 (*Torulopsis spandovensis*). (CBS 6875) German Pilsner beer, Germany. Type culture (Arch. Microbiol. 107: 205-206, 1976). (Medium 200 24C)
- Candida sphaerica* (Hammer et Cordes) Meyer et Yarrow
2504 F.W. Tanner (*Torulopsis sphaerica*) — B.W. Hammer and W.A. Cordes. (NRRL Y-1098) (Medium 200 26C)
- 8549 Lederle Labs. strain Laffer 10, Type A (*Torulopsis sphaerica*). (NRRL Y-1104) Creamery. Enzymatic hydrolysis of ribonucleic acid (U.S. Pat. 3,920,519). (Medium 336 24C)
- 8606 Lederle Labs. strain Laffer 83, Type A (*Torulopsis sphaerica*). (NRRL Y-1161; Univ. Wisconsin 1-16c) (Medium 336 24C)
- 8625 Lederle Labs. strain Laffer 110 (*Torulopsis sphaerica*). (NRRL Y-1180) (Medium 200 24C)
- 8632 Lederle Labs. strain Laffer 125, Type A (*Torulopsis sphaerica*). (FDA L-1; NRRL Y-1187) (Medium 336 24C)
- 8637 Lederle Labs. strain Laffer 134, Type A (*Torulopsis sphaerica*). (NRRL Y-1192; W. Henneberg 243) (Medium 200 24C)
- 8647 Lederle Labs. strain Laffer 146, Type A (*Torulopsis sphaerica*). (NRRL Y-1202; N.C. Wright C-7-1) (Medium 336 24C)
- 8652 Lederle Labs. strain Laffer 162, Type A (*Torulopsis sphaerica*). (NRRL Y-1206) (Medium 336 24C)
- 13193 NRRL Y-36 (*Torulopsis sphaerica*). (Medium 5 26C)
- Candida stellata* (Kroemer et Krumholz) Meyer et Yarrow
10667 NRRL Y-1444 (*Torulopsis bacillaris*). (CBS 843; IFO 0701) (Medium 336 24C)
- 10673 NRRL Y-1446 (*Torulopsis stellata*) — CBS 157. (IFO 0703) (Medium 200 24C)
- 52826 S. Goto 608 (*Torulopsis stellata*) — H. Oguri. Wild grapes, *Vitis coignetiae*, Japan. (Medium 200 24C)
- Candida stellatoidea* (Jones et Martin) Langeron et Guerra. See: *Candida albicans*
- Candida subtropicalis* Nakase et al.: See *Candida maltosa*
- Candida suecica* Miranda et Norkrans
22292 CBS 5724 — B. Norkrans strain J.II. Seawater, Sweden. Type culture (Antonie van Leeuwenhoek 34: 115-118, 1968). (Medium 200 24C)
- Candida suscipila* Lee et Komagata
46049 IFO 1911 — J.D. Lee KL30. (IAM 12489) Peach tree, Japan. Type culture (Int. J. Syst. Bact. 30: 518, 1980). Methanol assimilation (J. Gen. Appl. Microbiol. 26: 133-158, 1980). (Medium 200 24C)
- Candida tannotolerans* (Jacob) Meyer et Yarrow
36591 CBS 6070 (*Torulopsis tannotolerans*) — F.H. Jacob. Tanning fluid. (Medium 200 24C)
- Candida tenuis* Diddens et Lodder
10573 NRRL Y-1498 — CBS 615. Bark-beetle. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., p. 813, 1984). (Medium 200 24C)
- 14463 N. van Uden 2461 — CBS — Holst. (IFO 0716) (Medium 200 26C)
- 58781 CBS 4113 — H. Kuehlwein. *Harpium mordax* larva. Produces ethanol from xylose (Appl. Environ. Microbiol. 47: 1221-1223, 1984). (Medium 200 26C)
- 58782 CBS 4285 — H. Kuehlwein. *Rhagium sycophanta*. Produces ethanol from xylose (Appl. Environ. Microbiol. 47: 1221-1223, 1984). (Medium 200 26C)
- 58783 CBS 4435 — H. Kuehlwein. *Rhagium bisfasciatum*. Produces ethanol from xylose and cellobiose (Appl. Environ. Microbiol. 47: 1221-1223, 1984). (Medium 200 26C)
- Candida tepae* Grinbergs
22979 S.A. Meyer M 300 — CBS 5115. Rotten *Laurelia phyllipiana*. Type culture (Arch. Mikrobiol. 56: 202, 1967). (Medium 200 24C)
- Candida terebra* Sugiyama et Goto
22022 CBS 6023. (IFO 1497; RIFY KC1-2) Core sample, Japan. Type culture (J. Fac. Sci. Univ. Tokyo 10: 97-116, 1969). Pentose fermentation (Can. J. Microbiol. 28: 360-363, 1982). (Medium 200 24C)
- Candida torresii* (van Uden et Zobel) Meyer et Yarrow
22999 S.A. Meyer M 162 (*Torulopsis torresii*) — CBS 5152 — N. van Uden. Sea water, Australia. Type culture (Antonie van Leeuwenhoek 28: 279, 1962). (Medium 200 24C)
- Candida tropicalis* (Castellani) Berkhout
750 Preceptrol® culture. A. Castellani. (ATCC 4563; ATCC 7349; CBS 94; IFO 1400) Bronchomycosis. Type culture (Lodder, J. and N.J.W. Kreger-van Rij, "The Yeasts — A Taxonomic Study." 1952, p. 511. North Holland Pub. Co., Amsterdam). Utilizes phenol, catechol and 3- and 4- methylcatechols as sole carbon source (J. Gen. Appl. Microbiol. 19: 171-187, 1973). Esterase activity (J. Clin. Microbiol. 8: 756-759, 1978). (Medium 200 26C)
- 1369 M.B. Church (USDA) (*Monilia candida*). (BI CZAS 0651/2; CCY 29-7-7; NRRL Y-11,860) Production of yeast protein (Eur. J. Appl. Microbiol. 2: 231-241, 1976). Protein value (J. Food Sci. 44: 1197-1200, 1979). Produces ethanol from xylose (Biotechnol. Lett. 3: 213-218, 1981). Pentose fermentation (Can. J. Microbiol. 28: 360-363, 1982). (Medium 200 26C)
- 9968 V. Lebedenko — USSR (*Monilia murmannica*). Experimental production of food yeast in USSR. Pentose fermentation (Can. J. Microbiol. 28: 360-363, 1982). Adjustment of pH in natural lactic acid fermentation of cornmeal (J. Food Sci. 49: 1198-1199, 1984). (Medium 200 26C)
- 10610 L.J. Wickerham NRRL Y-1552. (Medium 200 26C)
- 13803 Preceptrol® culture. FDA PCI M-59. Assay of amphotericin B (Analytical Microbiology, Vol. 2, F. Kavanagh, ed., Academic Press, New York, pp. 149-150, 164-170 and 173-175, 1972; M.R. McGinnis, Laboratory Handbook of Medical Mycology, Academic Press, pp. 412-419, 1980); and nystatin (*ibid.*, pp. 150-151). Production of iditol (Appl. Environ. Microbiol. 46: 912-916, 1983). (Medium 200 25C)
- 14056 C.W. Emmons 3174 — Richori. Human. (Medium 200 26C)
- 14246 A. Castellani. (Medium 200 26C)
- 15114 Ajinomoto Co., Inc. YO-129. Production of amino acids (U.S. Pat. 3,222,258). Produces L-tryptophan (U.S. Pat. 3,591,456). (Medium 200 26C)
- 15543 P. Dupont (*Trichosporon lodderi*) — NRRL Y-2001. (Medium 200 24C)
- 18213 B.J. Wiley QM 8448 — M. Johnson — NRRL Y-6329-9. (Medium 200 26C)

- S.T. Carey CR 826-6 (*Clitocybe illudens*). Single basidiospore isolate. Taxonomy (Mycologia 66: 951-968, 1974). Fruits in culture. (Medium 324 24C)
- S.T. Carey CR 826-7 (*Clitocybe illudens*). Single basidiospore isolate. Taxonomy (Mycologia 66: 951-968, 1974). Fruits in culture. (Medium 324 24C)
- IFO 8533 ← Tohoku Univ. ← CBS 141.34 ← L.O. Overholts. Produces butyrolactone I (Chem. Pharm. Bull. 31: 1528-1533, 1983); gyroporin and atromentic acid (Phytochemistry 13: 271-272, 1974). (Medium 336 24C)
- CBS 106.40 ← K. Zobl. (Medium 336 24C)
- circinata* (Fries) P. Karsten
- 169 J.W. Sinden strain Overholts 24437 (*Polyporus tomentosus* var. *circinatus*). (Medium 200 26C)
- 169 S.A. Alfieri (*Polyporus circinatus*) ← G. Blakeslee. *Pinus clausa*, Florida. (Medium 200 26C)
- la tomentosa* (Fries) P. Karsten
- 171 D.T. Myren 58-41 (*Polyporus tomentosus*). Jack pine. (Medium 323 24C)
- 172 D.T. Myren cr-1 (*Polyporus tomentosus*). Red pine. (Medium 323 24C)
- 176 R.D. Whitney 906-7A-3 (*Polyporus tomentosus*). (Medium 200 24C)
- 177 R.D. Whitney 906-7A-4 (*Polyporus tomentosus*) ← W.E. Britnell. Black spruce, *Picea mariana*, Canada. (Medium 200 24C)
- mygena corvina* Albertini et Schweinitz
- 12729 G.F. Orr O-1150 ← CBS 225.60 ← K. Tubaki. Man. (Medium 537 24C)
- mygena equina* (Willdenow) Persoon ex Fries
- 12731 G.F. Orr O-1148 ← CBS 947.70. Cow hoof. (Medium 357 24C)
- nospora lactis* var. *parasitica* Pritchard et Porte
- 14318 C.R. Jackson SC 365. Rotting tomatoes, Florida. (Medium 28 26C)
- osporidium margaritiferum* Stautz
- 10676 NRRL Y-1519 (*Trichosporon margaritiferum*) ← CBS 2531. (FMJ 15009; IFO 1208) Slime flux on tree. Production of ubiquinone-10 (U.S. Pat. 4,070,244) Type culture (Lodder, J., "The Yeasts - A Taxonomic Study." 1970, p. 1162. North Holland Pub. Co., Amsterdam). (Medium 200 24C)
- opegrapha lichenoides* Persoon
- 18341 V. Ahmadian Sw.78. Polyspore isolate. Lichen symbiont. Distributed in test tube, allow 2 months for delivery. (Medium 382 18C)
- opercullella padwickii* Kheswalla
- 10083 B.B. Mundkur GC 285. (CBS 275.53) Foot rot of chick pea, *Cicer arietinum*. Indian J. Agr. Sci. 11: 316-318, 1941. (Medium 336 26C)
- ophiobolus fulgidus* (Cooke et Peck) Saccardo
- 19556 E.S. Luttrell 65. *Bidens bipinnata*. (Medium 336 24C)
- ophiobolus graminis* var. *avenae* Garrett
- 115419 H.F. Burkhardt ← E. Turner. Oats, England. (Medium 336 26C)
- ophiobolus herpotrichus* (Fries) Saccardo
- 112279 CBS 240.31. (IFO 6158) (Medium 340 24C)
- ophiobolus miyabeanus* Ito et Kuribayashi: See *Cochliobolus miyabeanus*
- ophioceras* sp.
- 56671 C.A. Shearer CS-652-1. Submerged twig, Panama. (Medium 448 24C)
- 56672 C.A. Shearer CS-408-2. Submerged twigs, Panama. (Medium 448 24C)
- ophiodothella vaccinii* Boyd
- 136333 K.E. Conway LJA 1. *Vaccinium arboreum*, Florida. Fly speck leaf-spot of *Vaccinium*. Imperfect state. (Medium 336 24C under black light)
- ophiostoma ainoae* Solheim
- 162328 H. Solheim 80-69/27. *Picea abies*, Norway. Characterization (Nord. J. Bot. 6: 199-207, 1986). (Medium 200 24C)
- ophiostoma cucullatum* Solheim
- 162330 H. Solheim 81-83/16. (CBS 218.83; CMI 285081) Bark beetle, *Ips typographus*, Norway. Type culture (Nord. J. Bot. 6: 202, 1986). (Medium 200 24C)
- ophiostoma europioides* (Wright et Cain) Solheim
- 116058 R.W. Davidson RWD 177 (*Ceratocystis europioides*). (CBS 275.65) Douglas fir log. Mycologia 57: 488-490, 1965. (Medium 323 26C)
- †16059 R.W. Davidson CS55 (*Ceratocystis europioides*). (Medium 310 26C)
- †62331 H. Solheim 80-67/22. *Picea abies*, Norway. Characterization (Nord. J. Bot. 6: 199-207, 1986). (Medium 200 24C)
- ophiostoma flexuosum* Solheim
- †62332 H. Solheim 81-79/5. (CBS 208.83; CMI 285083) *Picea abies*, Norway. Type culture (Nord. J. Bot. 6: 203, 1986). (Medium 200 24C)
- ophiostoma grande* Samuels et Muller
- 42527 G.J. Samuels BR 882. Bark, Brazil. Type culture (Sydowia 31: 176, 1978). (Medium 200 24C)
- ophiostoma multiannulata* (Hedgecock et Davidson) von Arx: See *Ceratocystis multiannulata*
- ophiostoma polonicum* Siemaszko
- †62335 H. Solheim 80-53/7. Characterization (Nord. J. Bot. 6: 199-207, 1986). (Medium 200 24C)
- ophiostoma ulmi* (Buisman) Nannf.: See *Ceratocystis ulmi*
- ophiovalsa betulae* (Tulasne) Petrak
- †42579 DAOM 175511 ← D. Laidlow 80M-60. *Betula pendula*, Pennsylvania. (Medium 338 26C)
- orbicula parietina* (Schrader ex Fries) Hughes
- 22281 D. Malloch TRTC 45570. Laboratory contaminant, Canada. (Medium 530 18C)
- 24149 S. Udagawa NHL 2495. Deer dung, Japan. (Medium 335 24C)
- orbimyces spectabilis* Linder
- 16394 S.P. Meyers IMS 108. Submerged driftwood, Massachusetts. (Medium 312 26C)
- 34607 R.V. Gessner RDB 7 ← R. Brooks. Wood (marine environment), Rhode Island. (Medium 350 with sea water 24C)
- ostracoblabe implexa* Bornet et Flahault
- 22812 D.J. Alderman 1A2. Shell of *Ostrea edulis*, England. (Medium 354 30C)
- oudemansiella canarii* (Junghuhn) Hoehnelt
- 62446 P. Hubsch M32-4 ← G. Arnold. (Medium 200 24C)
- oudemansiella mucida* (Schrader ex Fries) Hoehnelt
- 58725 J. San Antonio 270 ← K. McKnight. (Medium 336 24C)
- 62253 J.C. Frankland M9202 ← P.L. Costeloe. Fallen branch, England. (Medium 200 24C)
- 62447 P. Hubsch M30-5. (Medium 200 24C)
- oudemansiella platyphylla* (Persoon ex Fries) Singer
- 24980 R.H. Petersen CO-1, 71-4. (Medium 200 24C)
- oudemansiella radicata* (Rehnan ex Fries) Singer
- 20295 Inst. Microb. Chem. 10F. Conifer. Production of ouidenone, a hypotensive agent (U.S. Pat. 3,835,170). (Medium 337 26C)
- 56458 J. San Antonio 253 ← K. McKnight. (Medium 336 26C)
- 62254 J.C. Frankland M9243. Buried wood, England. (Medium 200 24C)
- ovulinia azaleae* Weiss
- †11896 M.R. Paton. Rhododendron. (Medium 337 24C)
- oxyporus latemarginata* (Durieu et Montagne) Donk
- †9408 J.W. Sinden strain Overholts 24674-R (*Poria ambigua*). Rotting wood. (Medium 200 26C)
- †24649 E.C. Setliff FP-104044-sp (*Poria latemarginata*) ← F. Lombard (*P. ambigua*). Hardwood branch, Maryland. Cultural characteristics (Mycologia 52: 280-294, 1960). Nuclear division in basidia (Can. J. Bot. 52: 2323-2333, 1974). (Medium 200 24C)
- ozonium taxanum* var. *paraciticum* Thirumalachar
- 28812 M.J. Thirumalachar HACC 257. (Medium 336 24C)
- pachybasium* sp.
- 16093 Smith, Kline and French Labs. 264 ← G. Baker. Transformation of certain steroids. (Medium 5 24C)
- 16094 Smith, Kline and French Labs. 267 ← G. Baker. Transformation of certain steroids. (Medium 5 24C)
- 16095 Smith, Kline and French Labs. 270 ← G. Baker. Transformation of certain steroids. (Medium 5 24C)
- 16114 Smith, Kline and French Labs. 273 ← G. Baker. Transformation of certain steroids. (Medium 336 26C)
- pachyma hoelem* Rumph: See *Poria cocos*.
- pachysolen tannophilus* Boidin et Adzet
- 32691 NRRL Y-2460 ← J. Boidin. (CBS 4044; NCYC 614) Tanning liquor. Type culture (Bull. Soc. Mycol. France 73: 331, 1957).

†USDA permit (PPQ 526) required for distribution

- Pachysolen tannophilus* (continued)**
- Produces ethanol from D-xylose (Biotechnol. Lett. 3: 89-92 and 415-420, 1981; Biotechnol. Bioeng. 24: 371-384, 1982; U.S. Pat. 4,359,534). Conversion of wheat straw cellulose/hemicellulose to ethanol (*ibid.*, 24: 1105-1113, 1982). Production of ethanol from D-galactose and glycerol (Enzyme Microb. Technol. 4: 349-352, 1982). Produces NADPH-linked D-xylose reductase and NAD-linked xylitol dehydrogenase (Biotechnol. Bioeng. 27: 302-307, 1985). Produces xylitol dehydrogenase (FEMS Microbiol. Lett. 25: 195-198, 1984). (Medium 200 24C)
- 60392 T.W. Jeffries NO₃-NO₃-1. (NRRL Y-12885) Mutant derived from ATCC 32691. Enhanced fermentation of xylose to ethanol and growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60393 T.W. Jeffries NO₃-NO₃-4. (NRRL Y-12886) Mutant derived from ATCC 32691. Enhanced fermentation of xylose to ethanol and growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60394 T.W. Jeffries NO₃-NO₃-5. (NRRL Y-12887) Mutant derived from ATCC 32691. Enhanced fermentation of xylose to ethanol and growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60395 T.W. Jeffries NO₃-NO₃-7. (NRRL Y-12888) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60396 T.W. Jeffries NO₃-U-2. (NRRL Y-12889) Mutant derived from ATCC 32691. Enhanced fermentation of xylose to ethanol and growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60397 T.W. Jeffries NO₃-U-4. (NRRL Y-12890) Mutant derived from ATCC 32691. Enhanced fermentation of xylose to ethanol and growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60398 T.W. Jeffries NO₃-U-7. (NRRL Y-12891) Mutant derived from ATCC 32691. Enhanced fermentation of xylose to ethanol and growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60399 T.W. Jeffries U-NO₃-1. (NRRL Y-12892) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60400 T.W. Jeffries U-NO₃-5. (NRRL Y-12893) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60401 T.W. Jeffries U-NO₃-6. (NRRL Y-12894) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60402 T.W. Jeffries U-U-10. (NRRL Y-12895) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60403 T.W. Jeffries U-U-27. (NRRL Y-12896) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60404 T.W. Jeffries U-U-34. (NRRL Y-12897) Mutant derived from ATCC 32691. Rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- 60405 T.W. Jeffries U-U-1. (NRRL Y-12898) Mutant derived from ATCC 32691. Nitrate negative, rapid growth on xylitol (Enzy. Microb. Technol. 6: 254-258, 1984). (Medium 200 24C)
- Pachytichospora transvaalensis* (van der Walt) van der Walt**
- 52906 CBS 2186 — J.P. van der Walt. Soil, Africa. Type culture (The Yeasts, a Taxonomic Study, 3rd ed., p. 292, 1984; Bothalia 12: 563, 1978). (Medium 200 24C)
- Paecilomyces abruptus* Dietz et Li**
- 56273 NRRL 1110 — Upjohn Co. CC-1014. Production of antibiotic U-53,946 (U.S. Pat. 4,282,327). (Medium 323 24C)
- Paecilomyces ampulliphorus* Matsushima**
- 52455 M.T. Dunn MTD 3190. Soil, Maryland. (Medium 200 24C)
- Paecilomyces bacillisporus* Onions et Barron**
- 18504 CMI 113161 — G.L. Barron 10144. (CBS 425.67) Soil from deciduous woods, Canada. Type culture (CMI Mycol. Paper 107: 11-13, 1967). (Medium 340 24C)
- 42776 G. Szakacs — IFO 9387 — NHL 2438 — S. Udagawa. Polished rice, Japan. (Medium 338 24C)
- Paecilomyces canadensis* (Vuillemin) Brown et Smith**
- 28762 J. Aoki P6. Gypsy moth, *Lymantria dispar*. Control of insect pests (Appl. Ent. Zool. 9: 185-190, 1974). (Medium 28 24C)
- Paecilomyces carneus* (Duche et Heim) Brown et Smith**
- 13218 J.H. Miller 2865. (CBS 399.59) Forest soil, Georgia. Type culture of *Spicaria carnosa* (Mycologia 49: 779, 1957 and Stud. Mycol. 6: 70, 1974). (Medium 336 24C)
- 16329 W. Gams C 41. (ATCC 16223) Soil, Germany. (Medium 336 24C)
- 18336 IAM AHU 8023 (*Penicillium noppoensum*). (CBS 158.69) Type culture of *P. noppoensum* (J. Agr. Chem. Soc. Japan 19: 775, 1943 and Stud. Mycol. 6: 70, 1974). (Medium 325 24C)
- 20417 Takeda Chem. Ind. Ltd. C-2237. (IFO 9729) Production of deacetoxycephalosporin C (U.S. Pat. 3,979,260). (Medium 336 24C)
- 28276 R.E. Simard 237 — C. Aubey. Removal of phosphates from sewage (Mycopath. Mycol. Appl. 51: 223-232, 1973). (Medium 336 24C)
- 46579 A. Fujiwara FX-101 — T. Okuda. Soil, Japan. Hydroxylation of patchoulol to nor-patchoulol (Adv. Biotechnol. 3: 519-524, 1981). (Medium 324 25C)
- Paecilomyces clavisporeis* Hammill**
- 18902 T.M. Hammill 47-68. Soil, Georgia. Type culture (Mycologia 62: 107-122, 1970). (Medium 323 26C)
- Paecilomyces cremeo-rosei* Batista**
- 12076 A.C. Batista 232. (CNS 250.55; CMI 113844) (Medium 336 24C)
- Paecilomyces dactylethromorphis* Batista et Maia: See *Paecilomyces variotii***
- Paecilomyces elegans* (Corda) Mason et Hughes**
- 8301 T. Benedek 2. (Medium 307 24C)
- 16233 W. Gams C 187. Soil, Germany. (Medium 336 24C)
- 18405 J.L. Crane ILLS. 34473 (29B-65). (CMI 133904) Creek foam sample, Virginia. (Medium 340 24C)
- 32907 J.D. Weete I-134 (*Spicaria elegans*) — W. Gray. Production of sterols (Lipids 9: 575-581, 1974). (Medium 336 24C)
- 38271 A.M. Hallaksela 84 lb. Norway spruce stump. Acta For. Fenn. 158: 1-50, 1977. (Medium 336 24C)
- Paecilomyces farinosus* (Dickson ex Fries) A.H.S. Brown et G. Smith: See also *Cordyceps memorabilis*, perf. st.**
- 18236 QM 7525 — G. Smith BB 327. (CBS 265.58; IFO 8108; CMI 71622) Garden soil, England. Type culture of *Penicillium albo-aurantium* (Trans. Brit. Mycol. Soc. 40: 484, 1957). Stud. Mycol. 6: 32, 1974. (Medium 325 or 340 24C)
- 24319 R.S. Soper UMO 3. Eastern tent caterpillar, Massachusetts. (Medium 336 24C)
- 26853 A. Samsinakova 34. *Leptinotarsa decemlineata*, Czechoslovakia. Entomophagous, produces chitinase, lipase and protease (Ceska Mykol. 27: 55-60, 1973). Biological control of Colorado beetle (Z. Ang. Entomol. 87: 68-75, 1978). (Medium 336 24C)
- 28461 I. Majchrowicz 0500. Gypsy moth. J. Econ. Entomol. 66: 823-824, 1973. (Medium 336 24C)
- Paecilomyces fumoso-roseus* (Wize) Brown et Smith**
- 16312 W. Gams C 39. Soil, Germany. Safety evaluations (Appl. Ent. Zool. 14: 217-220, 1979). (Medium 337 24C)
- 42188 G. Perron P.f.r.n.°35 — A. Glandard. *Mamestra brassicae* larvae, France. Biological control of lepidopterous larvae (Entomophaga 23: 417-421, 1978). (Medium 336 24C)
- 52586 J. Tuite F 5137. Paw of cat. (Medium 336 24C)
- 60291 R.D. Goos — J. Mulligan. Soil, Rhode Island. (Medium 336 24C under black light 12 hrs on/12 hrs off)
- 60542 G. Zimmerman 4 — E. Muller-Kogler. *Carpocapsa pomonella*, W. Germany. Produces beauvericin (Phytochemistry 22: 1719-1720, 1983). (Medium 336 25C under black light 12 hrs on/12 hrs off)
- Paecilomyces fusisporus* Saksena**
- 24148 T.N. Tumangan. Soil, Philippines. Produces antifungal agent novalichin (Acta Manilana 20: 37-63, 1981; *ibid.*, 4: 3-11, 1969). (Medium 323 24C)
- Paecilomyces griseoviridis* Onions et Barron**
- 18505 CMI 113160 — G.L. Barron 10041. (CBS 426.67) Soil mixed woods, Canada. Type culture (CMI Mycol. Paper 107: 22-23, 1967). (Medium 340 24C)
- Paecilomyces humicola* Onions et Barron**
- 18506 CMI 113166 — G.C. Bhatt 10269. (CBS 427.67) Soil under *Thuja occidentalis*, Canada. Type culture (CMI Mycol. Paper 107: 20-22, 1967). (Medium 325 24C)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.